



- ii) the polyester (B) comprises at least one of structural units I and II and at least one of maleic esters and fumaric ester groups incorporated in its main chain;
- iii) the polymer (A) comprises at least one of polyacrylate, polyurethane, polyether, and polyepoxide;
- iv) in the polyesters (B), the structural unit I is incorporated in the form of the structural unit III




(III)

and the structural unit II is incorporated in the form of the structural unit IV




(IV) in which the index n is an integer from 1 to 10;

- v) in at least one of (A) and (B) the structural unit I is incorporated in the form of the structural unit V




(V)

and the structural unit II is incorporated in the form of structural units VI




(VI);

- vi) components (A) and (B) are in a proportion of from 99.5:0.5 to 0.5:99.5.
24. (New) The method of claim 15, wherein the binder mixture is characterized by at least one of:
- i) the polymer (A) comprises at least one structural unit I and II and also at least one covalently bonded photoinitiator of the Norrish II type as at least one of a side group end group;
 - ii) the polyester (B) comprises at least one of structural units I and II and at least one of maleic esters and fumaric ester groups incorporated in its main chain;
 - iii) the polymer (A) comprises at least one of polyacrylate, polyurethane, polyether, and polyepoxide;
 - iv) in the polyesters (B), the structural unit I is incorporated in the form of the structural unit III




(III)

and the structural unit II is incorporated in the form of the structural unit IV




(IV) in which the index n is an integer from 1 to 10;

- v) in at least one of (A) and (B) the structural unit I is incorporated in the form of the structural unit V



(V)

and the structural unit II is incorporated in the form of structural units VI




(VI);

- vi) components (A) and (B) are in a proportion of from 99.5:0.5 to 0.5:99.5.

25. (New) The substrate of claim 16, wherein the binder mixture is characterized by at least one of:

- the polymer (A) comprises at least one structural unit I and II and also at least one covalently bonded photoinitiator of the Norrish II type as at least one of a side group end group;
- the polyester (B) comprises at least one of structural units I and II and at least one of maleic esters and fumaric ester groups incorporated in its main chain;
- the polymer (A) comprises at least one of polyacrylate, polyurethane, polyether, and polyepoxide;
- in the polyesters (B), the structural unit I is incorporated in the form of the structural unit III



(III)